P01001 1050 Watts Generator

FIRMAN

Performance series

Running / Starting Watts: 1050/1300


















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in industry with extended run-time (less re-fueling) with built-in tank gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- Bonus accessories including engine oil, oil funnel, tool kit and battery charge cable.
- 3 year warranty.



PO1001 1050 Watts Generator

GIRMAN


Performance series


Model /Rev Level	P01001 / 00
UPC	840876110041
50 States	Yes
California (CARB)	Yes
Canada (CSA)	Yes
Running Watts	1050
Starting Watts	1300
Frequency (Hz)	60
Engine Displacement (cc)	80
Engine Type	OHV
Starting System	Recoil
Cylinder	Single
Fuel Type	Gasoline
Low Oil Shutdown	Yes
Cast Iron Sleeve	Yes
Brushed or Brushless Alternator	Brushless
Automatic Voltage Regulator (AVR)	No
Fuel Tank Volume (Gal)	1.3
Fuel Gauge	Yes
Runtime @50% load (hours)	9.0
USDA FS Certified Spark Arrester	Yes





Handle	No
Wheel	No
Battery	No
Accessories	Oil Bottle-Funnel-Tool Kit -Battery Charger Cable
Warranty Residential / Commercial (years)	3 / 1
Carton L×W×H (inch)	17.9 × 15.4 × 14.2
Unit Weight (lbs)	45.3
Shipping Weight (lbs)	51.7





P01201 1200 Watts Generator

FIRMAN

Performance series

Running / Starting Watts: 1200/1500












- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved (CIS) engine for long durability with automatic low oil shutdown (LOS) protection.
- Largest tank in industry with extended run-time (less re-fueling) with built-in tank gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- Durable compact roll-cage frame design with 0.75" steel tubing.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 years warranty: best in industry.



P01201 1200 Watts Generator


GIRMAN


Performance series

Model /Rev Level	P01201 / 00
UPC	840876112014
49 States	Yes
California (CARB)	No
Canada (CSA)	No
Running Watts	1200
Starting Watts	1500
Frequency (Hz)	60
Engine Displacement (cc)	80
Engine Type	OHV
Starting System	Recoil
Cylinder	Single
Fuel Type	Gasoline
Low Oil Shutdown	Yes
Cast Iron Sleeve	Yes
Brushed or Brushless Alternator	Brushless
Automatic Voltage Regulator (AVR)	No
Fuel Tank Volume (Gal)	1.7
Fuel Gauge	Yes
Runtime @50% load (hours)	10.0
USDA FS Certified Spark Arrester	Yes



Handle	No
Wheel	No
Battery	No
Accessories	Oil Bottle-Funnel-Tool Kit
Warranty Residential / Commercial (years)	3 / 1
Carton L×W×H (inch)	20.3 × 15.8 × 17.6
Unit Weight (lbs)	54
Shipping Weight (lbs)	61





P03601 3650 Watts Generator

FIRMAN

Performance series

Running / Starting Watts: 3650/4550
















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved (CIS) engine for long durability with automatic low oil shutdown (LOS) protection.
- Largest tank in industry with extended run-time (less re-fueling) with built-in tank gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- FIRMAN new designed AVR (Automatic Voltage Regulator) VC (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 years warranty: best in industry.



P03601 3650 Watts Generator

GIRMAN


Performance series


Specification

Model /Rev Level	P03601 / 00
UPC	840876136010
49 States	Yes
California (CARB)	No
Canada (CSA)	No
Running Watts	3650
Starting Watts	4550
Frequency (Hz)	60
Engine Displacement (cc)	208
Engine Type	OHV
Starting System	Recoil
Cylinder	Single
Fuel Type	Gasoline
Low Oil Shutdown	Yes
Cast Iron Sleeve	Yes
Brushed or Brushless Alternator	Brushed
Automatic Voltage Regulator (AVR)	Yes
Fuel Tank Volume (Gal)	5.0
Fuel Gauge	Yes
Runtime @50% load (hours)	14.0
USDA FS Certified Spark Arrester	Yes



Handle	No
Wheel	No
Battery	No
Accessories	Oil Bottle-Funnel-Tool Kit
Warranty Residential / Commercial (years)	3/1
Carton L×W×H (inch)	24 × 18.1 × 19.9
Unit Weight (lbs)	101.5
Shipping Weight (lbs)	110







www.firmangenerators.com

P03602 3650 Watts Generator

I RMAN

Performance series

Running / Starting Watts: 3650/4550
















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved (CIS) engine for long durability with automatic low oil shutdown (LOS) protection.
- Largest tank in industry with extended run-time (less re-fueling) with built-in tank gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- FIRMAN new designed AVR (Automatic Voltage Regulator) VC (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 years warranty: best in industry.



P03602 3650 Watts Generator

GIRMAN


Performance series


Specification

Model /Rev Level	P03602 / 00
UPC	840876136027
49 States	Yes
California (CARB)	No
Canada (CSA)	No
Running Watts	3650
Starting Watts	4550
Frequency (Hz)	60
Engine Displacement (cc)	208
Engine Type	OHV
Starting System	Recoil
Cylinder	Single
Fuel Type	Gasoline
Low Oil Shutdown	Yes
Cast Iron Sleeve	Yes
Brushed or Brushless Alternator	Brushed
Automatic Voltage Regulator (AVR)	Yes
Fuel Tank Volume (Gal)	5.0
Fuel Gauge	Yes
Runtime @50% load (hours)	14.0
USDA FS Certified Spark Arrester	Yes



Handle	Single Folding
Wheel	8.0" Flat Free
Battery	No
Accessories	Oil Bottle-Funnel-Tool Kit
Warranty Residential / Commercial (years)	3 / 1
Carton L×W×H (inch)	27.2 × 18.1 × 19.9
Unit Weight (lbs)	108.5
Shipping Weight (lbs)	117







www.firmangenerators.com

P03603 3650 Watts Generator

FIRMAN®

Performance series

Running / Starting Watts: 3650/4550

















- The FIRMAN OHV remote start engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Remote up to 55 yards away for ease of starting and shut down.
- Cast iron sleeved (CIS) engine for long durability with automatic low oil shutdown (LOS) protection.
- Largest tank in industry with extended run-time (less re-fueling) with built-in tank gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt. dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- FIRMAN new designed AVR (Automatic Voltage Regulator) VC (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 years warranty: best in industry.









P03603 3650 Watte Generator


FIRMAN

Performance series

Model /Rev Level	P03603 / 01
UPC	840876136034
49 States	Yes
California (CARB)	No
Canada (CSA)	Yes
Running Watts	3650
Starting Watts	4550
Frequency (Hz)	60
Engine Displacement (cc)	208
Engine Type	OHV
Starting System	Recoil/Electric/Remote
Cylinder	Single
Fuel Type	Gasoline
Low Oil Shutdown	Yes
Cast Iron Sleeve	Yes
Brushed or Brushless Alternator	Brushed
Automatic Voltage Regulator (AVR)	Yes
Fuel Tank Volume (Gal)	5.0
Fuel Gauge	Yes
Runtime @50% load (hours)	14.0
USDA FS Certified Spark Arrester	Yes



Handle	Single Folding
Wheel	8.0" Flat Free
Battery	Yes
Accessories	Oil Bottle-Funnel-Tool Kit
Warranty Residential / Commercial (years)	3/1
Carton LxWxH (inch)	27.2 × 18.1 × 19.9
Unit Weight (lbs)	119.5
Shipping Weight (lbs)	128



P03612 3650 Watta Generator

FIRMAN

Performance series

Running / Starting Watts: 3650/4550


















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Remote up to 55 yards away for ease of starting and shut down.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- Included battery for your convenience.
- 3 year warranty: best in industry.





P03612 3650 Watta Generator

GIRMAN


Performance series

Specification

Model /Rev Level	P03612 / 01
UPC	840876136126
49 States	Yes
California (CARB)	No
Canada (CETL)	Yes
Running Watts	3650
Starting Watts	4550
Frequency (Hz)	60
Engine Displacement (cc)	208
Engine Type	OHV
Starting System	Recoil/Electric/Remote
Cylinder	Single
Fuel Type	Gasoline
Low Oil Shutdown	Yes
Cast Iron Sleeve	Yes
Brushed or Brushless Alternator	Brushed
Automatic Voltage Regulator (AVR)	Yes
Fuel Tank Volume (Gal)	5.0
Fuel Gauge	Yes
Runtime @50% load (hours)	14.0
USDA FS Certified Spark Arrester	Yes



Handle	Single Folding
Wheel	8.0" Flat Free
Battery	Yes
Accessories	Oil Bottle-Funnel-Tool Kit
Warranty Residential / Commercial	3 Yrs Ltd / 90 Days
Carton L×W×H (inch)	27.2 × 18.1 × 19.9
Unit Weight (lbs)	119.5
Shipping Weight (lbs)	128





14131 N Rio Vista Blvd Suite 9 Peoria, AZ 85381

1-844-FIRMAN1 (1-844-347-6261)

www.firmangenerators.com

P03607 3650 Watts Generator

FIRMAN

Performance series

Running / Starting Watts: 3650/4550


















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- FIRMAN new designed AVR (Automatic Voltage Regulator) VC (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 year warranty: best in industry.



P03607 3650 Watts Generator


FIRMAN


Performance series

Model /Rev Level	P03607 / 00
UPC	840876136072
49 States	Yes
California (CARB)	Yes
Canada (CETL)	No
Running Watts	3650
Starting Watts	4550
Frequency (Hz)	60
Engine Displacement (cc)	208
Engine Type	OHV
Starting System	Recoil
Cylinder	Single
Fuel Type	Gasoline
Low Oil Shutdown	Yes
Cast Iron Sleeve	Yes
Brushed or Brushless Alternator	Brushed
Automatic Voltage Regulator (AVR)	Yes
Fuel Tank Volume (Gal)	5.0
Fuel Gauge	Yes
Runtime @50% load (hours)	14.0
USDA FS Certified Spark Arrester	Yes



Handle	No
Wheel	No
Battery	No
Accessories	Oil Bottle-Funnel-Tool Kit
Warranty Residential / Commercial	3 Yrs Ltd / 90 Days
Carton L×W×H (inch)	24 × 18.1 × 19.9
Unit Weight (Ibs)	101.5
Shipping Weight (lbs)	110





P03608 3650 Watts Generator

FIRMAN

Performance series

Running / Starting Watts: 3650/4550

















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Remote up to 55 yards away for ease of starting and shut down.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- Included battery for your convenience.
- 3 year warranty: best in industry.









P03608 3650 Watte Generator


FIRMAN

Performance series

Model /Rev Level	P03608 / 00
UPC	840876136089
49 States	Yes
California (CARB)	Yes
Canada (CSA)	No
Running Watts	3650
Starting Watts	4550
Frequency (Hz)	60
Engine Displacement (cc)	208
Engine Type	OHV
Starting System	Recoil / Electric
Cylinder	Single
Fuel Type	Gasoline
Low Oil Shutdown	Yes
Cast Iron Sleeve	Yes
Brushed or Brushless Alternator	Brushed
Automatic Voltage Regulator (AVR)	Yes
Fuel Tank Volume (Gal)	5.0
Fuel Gauge	Yes
Runtime @50% load (hours)	14.0
USDA FS Certified Spark Arrester	Yes



Handle	Single Folding
Wheel	8.0" Flat Free
Battery	Yes
Accessories	Oil Bottle-Funnel-Tool Kit
Warranty Residential / Commercial	3 Yrs Ltd / 90 Days
Carton L×W×H (inch)	27.2 × 18.1 × 19.9
Unit Weight (lbs)	119.5
Shipping Weight (lbs)	128



P03609 3650 Watts Generator

FIRMAN

Performance series

Running / Starting Watts: 3650/4550














- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved (CIS) engine for long durability with automatic low oil shutdown (LOS) protection.
- Largest tank in industry with extended run-time (less re-fueling) with built-in tank gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- FIRMAN new designed AVR (Automatic Voltage Regulator) VC (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 years warranty: best in industry.





P03609 3650 Watts Generator

GIRMAN


Performance series


Specification

Model /Rev Level	P03609 / 00
UPC	
49 States	Yes
California (CARB)	No
Canada (CSA)	No
Running Watts	3650
Starting Watts	4550
Frequency (Hz)	60
Engine Displacement (cc)	208
Engine Type	OHV
Starting System	Recoil
Cylinder	Single
Fuel Type	Gasoline
Low Oil Shutdown	Yes
Cast Iron Sleeve	Yes
Brushed or Brushless Alternator	Brushed
Automatic Voltage Regulator (AVR)	Yes
Fuel Tank Volume (Gal)	5.0
Fuel Gauge	Yes
Runtime @50% load (hours)	14.0
USDA FS Certified Spark Arrester	Yes



Handle	No
Wheel	No
Battery	No
Accessories	Oil Bottle-Funnel-Tool Kit
Warranty Residential / Commercial (years)	3/1
Carton L×W×H (inch)	24 × 18.1 × 19.9
Unit Weight (lbs)	101.5
Shipping Weight (lbs)	110







www.firmangenerators.com

PO3611 3650 Watts Generator

FIRMAN

Performance series

Running / Starting Watts: 3650/4550














- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved (CIS) engine for long durability with automatic low oil shutdown (LOS) protection.
- Largest tank in industry with extended run-time (less re-fueling) with built-in tank gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- FIRMAN new designed AVR (Automatic Voltage Regulator) VC (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 years warranty: best in industry.





P03611 3650 Watts Generator

FIRMAN


Performance series


Specification

Model /Rev Level	P03611 / 00
UPC	
49 States	Yes
California (CARB)	No
Canada (CSA)	No
Running Watts	3650
Starting Watts	4550
Frequency (Hz)	60
Engine Displacement (cc)	208
Engine Type	OHV
Starting System	Recoil
Cylinder	Single
Fuel Type	Gasoline
Low Oil Shutdown	Yes
Cast Iron Sleeve	Yes
Brushed or Brushless Alternator	Brushed
Automatic Voltage Regulator (AVR)	Yes
Fuel Tank Volume (Gal)	5.0
Fuel Gauge	Yes
Runtime @50% load (hours)	14.0
USDA FS Certified Spark Arrester	Yes



Handle	No
Wheel	No
Battery	No
Accessories	Oil Bottle-Funnel-Tool Kit
Warranty Residential / Commercial (years)	3/1
Carton L×W×H (inch)	24 × 18.1 × 19.9
Unit Weight (lbs)	101.5
Shipping Weight (lbs)	110







www.firmangenerators.com

P05701 5700 Watts Generator

FRMAN


Performance series

Running / Starting Watts: 5700/7125
















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved (CIS) engine for long durability with automatic low oil shutdown (LOS) protection.
- Largest tank in industry with extended run-time (less re-fueling) with built-in tank gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.2" steel tubing.
- FIRMAN new designed AVR (Automatic Voltage Regulator) VC (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 years warranty: best in industry.



P05701 5700 Watts Generator

GIRMAN


Performance series

Specification


Model /Rev Level	P05701 / 00
UPC	840876157015
49 States	Yes
California (CARB)	No
Canada (CSA)	No
Running Watts	5700
Starting Watts	7125
Frequency (Hz)	60
Engine Displacement (cc)	389
Engine Type	OHV
Starting System	Recoil
Cylinder	Single
Fuel Type	Gasoline
Low Oil Shutdown	Yes
Cast Iron Sleeve	Yes
Brushed or Brushless Alternator	Brushed
Automatic Voltage Regulator (AVR)	Yes
Fuel Tank Volume (Gal)	8.0
Fuel Gauge	Yes
Runtime @50% load (hours)	13.0
USDA FS Certified Spark Arrester	Yes



Handle	Single Folding
Wheel	10.0" Flat Free
Battery	No
Accessories	Oil Bottle-Funnel-Tool Kit
Warranty Residential / Commercial (years)	3 / 1
Carton L×W×H (inch)	31.7 × 21.7 × 24.4
Unit Weight (lbs)	178
Shipping Weight (lbs)	188.5



28.4"





www.firmangenerators.com

P05702 5700 Watts Generator

FIRMAN

Performance series

Running / Starting Watts: 5700/7125


















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved (CIS) engine for long durability with automatic low oil shutdown (LOS) protection.
- Largest tank in industry with extended run-time (less re-fueling) with built-in tank gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.2" steel tubing.
- FIRMAN new designed AVR (Automatic Voltage Regulator) VC (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 years warranty: best in industry.



P05702 5700 Watts Generator

GIRMAN


Performance series


Model /Rev Level	P05702 / 00
UPC	840876157022
49 States	Yes
California (CARB)	No
Canada (CSA)	No
Running Watts	5700
Starting Watts	7125
Frequency (Hz)	60
Engine Displacement (cc)	389
Engine Type	OHV
Starting System	Recoil
Cylinder	Single
Fuel Type	Gasoline
Low Oil Shutdown	Yes
Cast Iron Sleeve	Yes
Brushed or Brushless Alternator	Brushed
Automatic Voltage Regulator (AVR)	Yes
Fuel Tank Volume (Gal)	8.0
Fuel Gauge	Yes
Runtime @50% load (hours)	13.0
USDA FS Certified Spark Arrester	Yes





Handle	Single Folding
Wheel	10.0" Flat Free
Battery	Yes
Accessories	Oil Bottle-Funnel-Tool Kit
Warranty Residential / Commercial (years)	3 / 1
Carton L×W×H (inch)	31.7 × 21.7 × 24.4
Unit Weight (lbs)	178
Shipping Weight (Ibs)	188.5





P08003 8000 Watts Generator

FIRMAN

Performance series

Running / Starting Watts: 8000/10000
















- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved (CIS) engine for long durability with automatic low oil shutdown (LOS) protection.
- Largest tank in industry with extended run-time (less re-fueling) with built-in tank gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 4 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction with our low oil indicator light.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.2" steel tubing.
- FIRMAN new designed AVR (Automatic Voltage Regulator) VC (Volt-Lock) Series.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 years warranty: best in industry.





P08003 8000 Watte Generator


FIRMAN


Performance series

Model /Rev Level	P08003 / 00
UPC	840876180037
49 States	Yes
California (CARB)	No
Canada (CSA)	No
Running Watts	8000
Starting Watts	10000
Frequency (Hz)	60
Engine Displacement (cc)	439
Engine Type	OHV
Starting System	Recoil / Electric
Cylinder	Single
Fuel Type	Gasoline
Low Oil Shutdown	Yes
Cast Iron Sleeve	Yes
Brushed or Brushless Alternator	Brushed
Automatic Voltage Regulator (AVR)	Yes
Fuel Tank Volume (Gal)	8.0
Fuel Gauge	Yes
Runtime @50% load (hours)	12.0
USDA FS Certified Spark Arrester	Yes



Handle	Single Folding
Wheel	10.0" Flat Free
Battery	Yes
Accessories	Oil Bottle-Funnel-Tool Kit
Warranty Residential / Commercial (years)	3/1
Carton L×W×H (inch)	31.7 × 21.7 × 24.4
Unit Weight (lbs)	210.3
Shipping Weight (lbs)	237.6





W01781 1700 Watte Generator

FIRMAN

Whisper series

Running / Starting Watts: 1700/2100
























- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved (CIS) engine for long durability with automatic low oil shutdown (LOS) protection.
- Largest tank in industry with extended run-time (less re-fueling).
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- Bonus accessories including engine oil, oil funnel, tool kit and battery charge cable.
- 3 years warranty.



WO1781 1700 Watte Generator


FIRMAN


Whisper series

Model /Rev Level	W01781 / 01
UPC	840876117811
50 States	Yes
California (CARB)	Yes
Canada (CSA)	Yes
Running Watts	1700
Starting Watts	2100
Frequency (Hz)	60
Engine Displacement (cc)	80
Engine Type	OHV
Starting System	Recoil
Cylinder	Single
Fuel Type	Gasoline
Low Oil Shutdown	Yes
Cast Iron Sleeve	Yes
Brushed or Brushless Alternator	Brushless
Inverter	Yes
Fuel Tank Volume (Gal)	0.9
Fuel Gauge	No
Runtime @25% load (hours)	9.0
USDA FS Certified Spark Arrester	Yes



Battery	No
Accessories	Oil Bottle-Funnel-Tool Kit -Battery Charger Cable
Warranty Residential / Commercial (years)	3/1
Carton L×W×H (inch)	21.7 × 15.0 × 18.3
Unit Weight (lbs)	45.9
Shipping Weight (Ibs)	51.6





W03081 3000 Watts Generator

FIRMAN

Whisper series

Running / Starting Watts: 3000/3300
























- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved (CIS) engine for long durability with automatic low oil shutdown (LOS) protection.
- Largest tank in industry with extended run-time (less re-fueling).
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 3 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction.
- Bonus accessories including engine oil, oil funnel, tool kit and battery charge cable.
- 3 years warranty: best in industry.



W03081 3000 Watte Generator


FIRMAN


Whisper series

Model /Rev Level	W03081 / 00
UPC	840876130810
50 States	Yes
California (CARB)	Yes
Canada (CSA)	Yes
Running Watts	3000
Starting Watts	3300
Frequency (Hz)	60
Engine Displacement (cc)	171
Engine Type	OHV
Starting System	Recoil
Cylinder	Single
Fuel Type	Gasoline
Low Oil Shutdown	Yes
Cast Iron Sleeve	Yes
Brushed or Brushless Alternator	Brushless
Inverter	Yes
Fuel Tank Volume (Gal)	1.8
Fuel Gauge	No
Runtime @25% load (hours)	9.0
USDA FS Certified Spark Arrester	Yes



Battery	No	
Accessories	Oil Bottle-Funnel-Tool Kit -Battery Charger Cable	
Warranty Residential / Commercial (years)	3/1	
Carton L×W×H (inch)	26.6 × 18.9 × 19.3	
Unit Weight (lbs)	82	
Shipping Weight (Ibs)	92	





W03082 3000 Watts Generator

FIRMAN

Whisper series

Running / Starting Watts: 3000/3300
























- The FIRMAN OHV electric start engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved (CIS) engine for long durability with automatic low oil shutdown (LOS) protection.
- Largest tank in industry with extended run-time (less re-fueling).
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 3 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction.
- Bonus accessories including engine oil, oil funnel, tool kit and battery charge cable.
- 3 years warranty: best in industry.



W03082 3000 Watte Generator


FIRMAN


Whisper series

Model /Rev Level	W03082 / 00
UPC	840876130827
50 States	Yes
California (CARB)	Yes
Canada (CSA)	Yes
Running Watts	3000
Starting Watts	3300
Frequency (Hz)	60
Engine Displacement (cc)	171
Engine Type	OHV
Starting System	Recoil / Electric
Cylinder	Single
Fuel Type	Gasoline
Low Oil Shutdown	Yes
Cast Iron Sleeve	Yes
Brushed or Brushless Alternator	Brushless
Inverter	Yes
Fuel Tank Volume (Gal)	1.8
Fuel Gauge	Yes
Runtime @25% load (hours)	9.0
USDA FS Certified Spark Arrester	Yes



Battery	Yes
Accessories	Oil Bottle-Funnel-Tool Kit -Battery Charger Cable
Warranty Residential / Commercial (years)	3/1
Carton L×W×H (inch)	26.6 × 18.9 × 19.3
Unit Weight (lbs)	TBD
Shipping Weight (lbs)	TBD





W03083 3000 Watts Generator

FIRMAN

Whisper series

Running / Starting Watts: 3000/3300
























- The FIRMAN OHV remote start engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- Cast iron sleeved (CIS) engine for long durability with automatic low oil shutdown (LOS) protection.
- Largest tank in industry with extended run-time (less re-fueling).
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 3 in 1 Data-Minder monitors running hours, voltage and frequency in conjunction.
- Bonus accessories including engine oil, oil funnel, tool kit and battery charge cable.
- 3 years warranty: best in industry.



W03083 3000 Watte Generator


FIRMAN


Whisper series

Model /Rev Level	W03083 / 00
UPC	840876130834
50 States	Yes
California (CARB)	Yes
Canada (CSA)	Yes
Running Watts	3000
Starting Watts	3300
Frequency (Hz)	60
Engine Displacement (cc)	171
Engine Type	OHV
Starting System	Recoil/Electric/Remote
Cylinder	Single
Fuel Type	Gasoline
Low Oil Shutdown	Yes
Cast Iron Sleeve	Yes
Brushed or Brushless Alternator	Brushless
Inverter	Yes
Fuel Tank Volume (Gal)	1.8
Fuel Gauge	Yes
Runtime @25% load (hours)	9.0
USDA FS Certified Spark Arrester	Yes



Battery	Yes
Accessories	Oil Bottle-Funnel-Tool Kit -Battery Charger Cable
Warranty Residential / Commercial (years)	3/1
Carton L×W×H (inch)	26.6 × 18.9 × 19.3
Unit Weight (lbs)	TBD
Shipping Weight (lbs)	TBD







Running/Starting Watts: 3300/4100

Running/Starting Watts: 3650/4550
















- Runs on gasoline or propane fuel, giving you flexibility while out on the road or during an emergency.
- Extended propane regulator/hose (5ft) for convenience when running off of a larger propane tank.
- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 3 in 1 Data-Minder monitors running hours, voltage and frequency.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- Bonus accessories including engine oil, oil funnel and tool kit.
- Included battery for your convenience.
- 3 year warranty: best in industry.







	Model /Rev Level	P03651 / 00
	UPC	840876136515
	49 States	Yes
	California (CARB)	No
	Canada (CETL)	No
A	LPG Running Watts	3300
LPG	LPG Starting Watts	4100
۵ı	GAS Running Watts	3650
GAS	GAS Starting Watts	4550
	Frequency (Hz)	60
	Engine Displacement (cc)	208
	Engine Type	OHV
	Starting System	Recoil/Electric
	Cylinder	Single
	Fuel Type	Gasoline/LPG
	Low Oil Shutdown	Yes
	Cast Iron Sleeve	Yes
	Brushed or Brushless Alternator	Brushed
Α	utomatic Voltage Regulator (AVR)	Yes
	Fuel Tank Volume (Gal)	5.0
	Fuel Gauge	Yes
	Runtime @50% load (hours)	14.0
	JSDA FS Certified Spark Arrester	Yes



Handle	Single Folding
Wheel	8.0" Flat Free
Battery	Yes
Accessories	Wheel kit-Oil Bottle Funnel-Tool Kit
Warranty Residential / Commercial	3 years / 90 days
Carton L×W×H (inch)	27.9 × 18.1 × 20.5
Unit Weight (lbs)	N/A
Shipping Weight (lbs)	N/A







Running/Starting Watts: 3300/4100

Running/Starting Watts: 3650/4550
















- Runs on gasoline or propane fuel, giving you flexibility while out on the road or during an emergency.
- Extended propane regulator/hose (5ft) for convenience when running off of a larger propane tank.
- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 3 in 1 Data-Minder monitors running hours, voltage and frequency.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.0" steel tubing.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 year warranty; best in industry.







	Model /Rev Level	P03652 / 00
UPC		840876136522
49 States		Yes
	California (CARB)	No
	Canada (CETL)	No
A	LPG Running Watts	3300
LPG	LPG Starting Watts	4100
□)	GAS Running Watts	3650
GAS	GAS Starting Watts	4550
	Frequency (Hz)	60
	Engine Displacement (cc)	208
Engine Type		OHV
	Starting System	Recoil
	Cylinder	Single
	Fuel Type	Gasoline/LPG
	Low Oil Shutdown	Yes
	Cast Iron Sleeve	Yes
Brushed or Brushless Alternator		Brushed
Automatic Voltage Regulator (AVR)		Yes
	Fuel Tank Volume (Gal)	5.0
	Fuel Gauge	Yes
	Runtime @50% load (hours)	14.0
	JSDA FS Certified Spark Arrester	Yes



Handle	Single Folding
Wheel	8.0" Flat Free
Battery	No
Accessories	Wheel kit-Oil Bottle Funnel-Tool Kit
Warranty Residential / Commercial	3 years / 90 days
Carton L×W×H (inch)	27.9 × 18.1 × 20.5
Unit Weight (Ibs)	N/A
Shipping Weight (lbs)	N/A







Running/Starting Watts: 5700/7125

Running/Starting Watts: 5700/7125
















- Runs on gasoline or propane fuel, giving you flexibility while out on the road or during an emergency.
- Extended propane regulator/hose (5ft) for convenience when running off of a larger propane tank.
- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 3 in 1 Data-Minder monitors running hours, voltage and frequency.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.2" steel tubing.
- Bonus accessories including engine oil, oil funnel and tool kit.
- Included battery for your convenience.
- 3 year warranty: best in industry.







	Model /Rev Level	P05751 / 00
UPC		840876157510
49 States		Yes
	California (CARB)	Yes
	Canada (ETL)	No
8	LPG Running Watts	5700
LPG	LPG Starting Watts	7125
GAS	GAS Running Watts	5700
gas U	GAS Starting Watts	7125
	Frequency (Hz)	60
	Engine Displacement (cc)	439
	Engine Type	OHV
	Starting System	Recoil/Electric
	Cylinder	Single
	Fuel Type	Gasoline/LPG
	Low Oil Shutdown	Yes
	Cast Iron Sleeve	Yes
Brushed or Brushless Alternator		Brushed
Automatic Voltage Regulator (AVR)		Yes
	Fuel Tank Volume (Gal)	8.0
	Fuel Gauge	Yes
	Runtime @50% load (hours)	13.0
l	JSDA FS Certified Spark Arrester	Yes



E .	
Handle	Single Folding
Wheel	10.0" Flat Free
Battery	Yes
Accessories	Wheel kit-Oil Bottle Funnel-Tool Kit
Warranty Residential / Commercial	3 years / 90 days
Carton L×W×H (inch)	32.1 × 22.2 × 24.4
Unit Weight (lbs)	N/A
Shipping Weight (lbs)	N/A







Running/Starting Watts: 5700/7125

Running/Starting Watts: 5700/7125
















- Runs on gasoline or propane fuel, giving you flexibility while out on the road or during an emergency.
- Extended propane regulator/hose (5ft) for convenience when running off of a larger propane tank.
- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 3 in 1 Data-Minder monitors running hours, voltage and frequency.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.2" steel tubing.
- Bonus accessories including engine oil, oil funnel and tool kit.
- 3 year warranty: best in industry.






GIRMAN


Hybrid Series

	Model /Rev Level	P05752 / 00
UPC		840876157527
49 States		Yes
	California (CARB)	Yes
	Canada (CETL)	No
8	LPG Running Watts	5700
C LPG	LPG Starting Watts	7125
as (GAS Running Watts	5700
SAS_U	GAS Starting Watts	7125
	Frequency (Hz)	60
	Engine Displacement (cc)	439
Engine Type		OHV
Starting System		Recoil
Cylinder		Single
	Fuel Type	Gasoline/LPG
	Low Oil Shutdown	Yes
Cast Iron Sleeve		Yes
Brushed or Brushless Alternator		Brushed
Automatic Voltage Regulator (AVR)		Yes
Fuel Tank Volume (Gal)		8.0
Fuel Gauge		Yes
	Runtime @50% load (hours)	13.0
l	JSDA FS Certified Spark Arrester	Yes



Handle	Single Folding
Wheel	10.0" Flat Free
Battery	No
Accessories	Wheel kit-Oil Bottle Funnel-Tool Kit
Warranty Residential / Commercial	3 years / 90 days
Carton L×W×H (inch)	32.1 × 22.2 × 24.4
Unit Weight (lbs)	N/A
Shipping Weight (lbs)	N/A







Running/Starting Watts:7250/9050

Running/Starting Watts: 8000/10000
















- Runs on gasoline or propane fuel, giving you flexibility while out on the road or during an emergency.
- Extended propane regulator/hose (5ft) for convenience when running off of a larger propane tank.
- The FIRMAN OHV engine (Max-Pro Series) for longer life/higher performance/lower maintenance.
- FIRMAN newly designed AVR (Automatic Voltage Regulator) VL (Volt-Lock) Series.
- Cast iron sleeved engine for long durability with automatic low oil shutdown protection.
- Largest tank in the industry with extended run-time (less re-fueling) with integrated fuel gauge for convenience.
- Quiet muffler (Whisper Series) with USDA FS certified spark arrester.
- Conveniently located multi-featured control panel with FIRMAN custom designed outlet cover protecting outlets from dirt, dust and debris.
- 3 in 1 Data-Minder monitors running hours, voltage and frequency.
- Wheel Kit with heavy duty and over size flat free wheels with high leverage single folding handle with grip for easy maneuver.
- Durable compact roll-cage frame design with 1.2" steel tubing.
- Bonus accessories including engine oil, oil funnel and tool kit.
- Included battery for your convenience.
- 3 year warranty: best in industry.





	Model /Rev Level	P08051 / 00
UPC		840876180518
49 States		Yes
	California (CARB)	Yes
	Canada (CETL)	No
A	LPG Running Watts	7250
LPG	LPG Starting Watts	9050
GAS	GAS Running Watts	8000
GAS	GAS Starting Watts	10000
	Frequency (Hz)	60
	Engine Displacement (cc)	439
	Engine Type	OHV
	Starting System	Recoil/Electric
	Cylinder	Single
	Fuel Type	Gasoline/LPG
	Low Oil Shutdown	Yes
	Cast Iron Sleeve	Yes
Brushed or Brushless Alternator		Brushed
Automatic Voltage Regulator (AVR)		Yes
	Fuel Tank Volume (Gal)	8.0
	Fuel Gauge	Yes
	Runtime @50% load (hours)	12.0
l	JSDA FS Certified Spark Arrester	Yes



Handle	Single Folding
Wheel	10.0" Flat Free
Battery	Yes
Accessories	Wheel kit-Oil Bottle Funnel-Tool Kit
Warranty Residential / Commercial	3 years / 90 days
Carton L×W×H (inch)	32.1 × 22.2 × 24.4
Unit Weight (lbs)	202
Shipping Weight (lbs)	240

