



Latam Energy Development, Inc.
Stay Close To The Source...

JACK-UP

ATLANTIC-7

THE OFFSHORE DRILLING SOLUTION

ATLANTIC 7 RIG brings energy to the world as a global provider of offshore drilling services to the petroleum industry.

www.rigatlantic7.com



ATLANTIC
DRILLING INC.



TECHNICAL INFORMATION



General Information



Technical Specifications



Drilling Equipment



Vessel



Photographic Record



GENERAL INFORMATION

 **Flag:** Liberian

Name: ATLANTIC 7 (Ex - ENSCO 69)

Design: Marathon LeTourneau Class 84 Jack up

Builder: Marathon LeTourneau, Shipyard Vicksburg, Mississippi, USA

Upgrade: 2018 (Overhaul)

Status: Active, ABS Class Certification

Class Number: 7609673

IMO Number: 8753639

ABS Class Notations: A1, Mobile Offshore Drilling Unit (MODU)

Last Inspection (ABS): January 2019



CONTACT

- **GENERAL CONTACT INFORMACION**

Latam Energy Development Inc.

Cell: 1-713-771-1853

Email: info@latamenergydevelopment.com

- **FELIX SANCHEZ**

Drilling Engineer

Cell: 1-832-720-3287

Email: fsanchez@latamenergydevelopment.com





TECHNICAL SPECIFICATIONS

MAIN DIMENSIONS

- **Length:** 247 ft -7 in; **Breadth:** 227 ft -5 in; **Depth:** 26 ft
- **Legs:** 3 x 410 ft Square Truss
- **Leg Spacing:** Longitudinal leg centers 129 ft; transverse leg centers 142 ft
- **Spud cans:** 46 ft diameter x 24 ft high
- **Cantilever:** Slot dimensions 41 ft x 50 ft
- **Helideck:** S-61; diameter 70 ft

OPERATIONAL PARAMETERS

- **Water Depth:** 300 ft (17 ft - 300 ft)
- **Maximum Drilling Depth:** 20,000 ft with 5 in DP
- **Available length below hull including 5 ft margin Air Gap:** 80 ft
- **Transit Speed:** 5 knots
- **Survival Conditions – Criteria Design;** wind: 100 Knots; waves period: 13 sec; wave height: 44 ft
- **Jacking and skidding system:** Marathon LeTourneau AC electric rack and pinion, 90 ft/HR





DRILLING EQUIPMENT

Derrick: Dreco 170 ft x 30 ft x 30 ft x 1.500.000 lbs.

Cantilever Load: 1.310.000 lbs.

Drawworks: 1320 x UE 2000HP National Oilwell; wire 1 ½". Electric brake: model 7838 Baylor

Rotary Table: model C-375 National Oilwell 37 ½", driven by 1 D79 EMD motor

Top Drive: model TDS-4H Varco BJ 650 TON, with Pipe Handler model PH-85

Travelling: Continental Emsco 760H 650 TON

Crown Block: National OilWell 760FA


Mud Pumps: 2 National Oilwell modelo 12-P-160 Triplex - 5000 psi. Stand pipe 5 in x 5000 psi

Main Power: 3 EMD 16-645-E8 Engines 6600 HP, generators AB20-N6 x 1,575 kW 600 V

Emergency Power: 1 Cat 3412-TA 719 HP Diesel engine

Cementing Unit: 2 electric triplex pumps. 15000 psi, 14 BPM





DRILLING EQUIPMENT

Control System: air/electric powered

Choke and Kill Manifold: 3-1/16" x 10000 psi x 2 HCR & 2 manual

CAPACITIES:

- **Liquid Mud:** 1605 bbls
- **Bulk Mud / Cement:** 6240 cu.ft
- **Sacks:** 2500 sacks
- **Drill Water:** 10540 bbls
- **Potable Water:** 1294 bbls
- **Fuel Oil:** 4727 bbls
- **Base Oil:** 563 bbls
- **Preload Tanks (include combination tanks):** 15542 kips

Mud Equipment: Mud cleaner (4) MI Swaco; Desilter (1) Mi Swaco; Degaser, Rig Vaccum MI Swaco.





VESSEL

ACCOMMODATIONS

- 88 berths; main offices, auxiliary offices; mess and galley, meeting room; recreation room and gym, medical office with observation room and bedroom with eight beds for quarantine cases
- **Watermaker:** model NH75463+APC, FCI
- **Sewage Treatment:** model RF 4000-M; Red Fox

SECURITY SYSTEMS

- Communication and Navigation System GMDSS
- Smoke and Heat detection System
- CO₂ Extinguishing System; Water Extinguishing System with Raw Water System.; Portable extinguishing equipment
- Toxic Gas (H₂S) and Combustible Gas (CH₄) Detection System
- General Alarm System
- Emergency Shutdown System
- CCTV System
- One Lifeboat (63 Man Cap.), two survival capsules (28 Man Cap. each), four Liferafts (25 Man Cap. each)

CRANES


- Model PC-120AS Marathon Letorneau; Boom: 2 @ 120' Max. load 90000 lbs
- Model PC-120AS Marathon Letorneau; Boom: 1 @ 100' Max. load 90000 lbs





PHOTOGRAPHIC RECORD





www.rigatlantic7.com





Latam Energy Development, Inc.

CONTACT US

-  +1 (713) 771.1853
-  info@latamenergydevelopment.com
-  16000 Park Ten Place, Suite 304
Houston, Texas 77084
-  www.LatamEnergyDevelopment.com

STAY CLOSE TO THE SOURCE...